


Oil Pattern Distance	37	Reverse Brush Drop	37	Oil Per Board	Multi ul
Forward Oil Total	18.5 mL	Reverse Oil Total	14.65 mL	Volume Oil Total	33.15 mL
Tank Configuration	A Only	Tank A Conditioner	KEGEL	Tank B Conditioner	KEGEL

	START	STOP	LOADS	MICS	SPEED	BUFFER	TANK	CROSSED	START	END	FEET	T.OIL
1	2L	2R	2	60	14	3	A	74	0.0	1.9	1.9	4440
2	2L	2R	2	55	14	3	A	74	1.9	5.8	3.9	4070
3	2L	2R	2	50	18	3	A	74	5.8	10.9	5.1	3700
4	2L	2R	2	45	18	3	A	74	10.9	16.0	5.1	3330
5	2L	2R	2	40	18	3	A	74	16.0	21.1	5.1	2960
6	2L	2R	0	50	18	3	A	0	21.1	37.0	15.9	0

	START	STOP	LOADS	MICS	SPEED	BUFFER	TANK	CROSSED	START	END	FEET	T.OIL
1	2L	2R	0	40	30	3	A	0	37.0	33.0	-4.0	0
2	14L	12R	2	50	18	3	A	30	33.0	27.9	-5.1	1500
3	12L	11R	2	50	18	3	A	36	27.9	22.8	-5.1	1800
4	11L	10R	2	50	18	3	A	40	22.8	17.7	-5.1	2000
5	9L	9R	2	50	18	3	A	46	17.7	12.6	-5.1	2300
6	8L	8R	2	50	14	3	A	50	12.6	8.7	-3.9	2500
7	6L	7R	1	50	14	3	A	28	8.7	6.8	-1.9	1400
8	5L	6R	1	50	10	4	A	30	6.8	5.4	-1.4	1500
9	3L	5R	1	50	10	4	A	33	5.4	4.0	-1.4	1650
10	2L	2R	0	50	10	4	A	0	4.0	0.0	-4.0	0

Cleaner Ratio Main Mix NA Forward  
 Cleaner Ratio Back End Mix NA Reverse  
 Cleaner Ratio Back End Distance NA Combined  
 Buffer RPM: 4 = 700 | 3 = 500 | 2 = 200 | 1 = 100



Item	3L-7L:18L-18R	8L-12L:18L-18R	13L-17L:18L-18R	18L-18R:17R-13R	18L-18R:12R-8R	18L-18R:7R-3R
Description	Outside:Middle	Middle:Middle	Inside:Middle	Middle: Inside	Middle:Middle	Middle:Outside
Track Zone Ratio	1.92	1.29	1.02	1	1.21	2.05

